

Township of Lakewood

OFFICE OF THE MUNICIPAL ENGINEER AND PLANNING BOARD

231 THIRD STREET
LAKEWOOD, NEW JERSEY 08701
(732) 364-2500; FAX (732) 994-4563

JEFFREY W. STAIGER, P.E., P.P., C.M.E.
TOWNSHIP ENGINEER

ALLY MORRIS
PLANNING BOARD ADMINISTRATOR

STREET OPENING PERMIT APPLICATION

To: Municipal Engineer Office, 231 Third Street, Lakewood NJ 08701

Applicant: _____ Phone: _____ Email: _____

Contractor: _____ Phone: _____ Email: _____

Application is hereby made by the Applicant for permission to excavate a street opening in the Township of Lakewood, Ocean County, New Jersey. Block _____

The location of the Street Opening is: _____ Lot _____

The purpose of the requested road opening is for: _____

Work is intended to commence on or about _____, and be completed by _____.

Enclosed is the required permit fee of \$ _____ (See Ordinance Section 20-1.5 Fees)

PLUS--ADMINISTRATIVE FEE of \$ 25.00 (separate check) (See Ordinance 2009-52 Section 20.1.5f)

It is hereby agreed that:

1. Any construction activity within the municipal right-of-way for which a permit is required shall comply with the current provisions of Chapter 20, of the Code of the Township of Lakewood, entitled "Streets and Sidewalks;"
2. Excavated trenches will be restored daily with hot bituminous asphalt;
3. In addition to restoring any cartway distributed, all work, including any ancillary work such as curb repair, striping, sidewalks, or other improvements that might be damaged due to the my contractor's operations, will be repaired to the satisfaction of the Municipal Engineer;
4. Current contractor insurance certificates and performance guarantees will be submitted to the Engineering Department prior to initiation of any work;
5. All construction inspection, whether intermediate or final, shall be coordinated through the Municipal Engineer's inspection team (contact: Lakewood Engineer's office at telephone number (732) 364-2500 Ext. 5235, Fax (732) 994-4563 or email sforsyth@lakewoodnj.gov a minimum of seventy-two (72) hours in advance of start of work); and
6. All Traffic Safety Officers shall be coordinated through the Lakewood Township Police Department prior to the start of work.

NOTE: All concrete is to be Class B, 4,500psi 28-day compressive strength.

Applicant's Signature & Date

DO NOT WRITE BELOW LINE (OFFICIAL USE ONLY)

Application for Street Opening Permit is hereby approved subject to compliance with Ordinance Chapter 20 and any conditions that may be detailed on the reverse side of this permit.

SD/SP # : _____

(If applicable)

Permit #: _____

Municipal Engineer

Date

cc: Finance Office; Lakewood Police Department -Traffic Safety

PAID: CASH CHECK CC

2009-52

AN ORDINANCE OF THE TOWNSHIP OF
LAKEWOOD, COUNTY OF OCEAN, STATE OF
NEW JERSEY AMENDING & SUPPLEMENTING
CHAPTER XX (STREETS AND SIDEWALKS),
SECTION 20-1.5 (PERMIT FEES) OF THE REVISED
GENERAL ORDINANCES OF THE TOWNSHIP OF
LAKEWOOD

BE IT ORDAINED by the Township Committee of the Township of Lakewood, County of Ocean, State of New Jersey, that Chapter XX (STREETS AND SIDEWALKS), Section 20-1.5 (Permit fees) of the Revised General Ordinances of the Township of Lakewood shall be amended and supplemented as follows:

SECTION 1. Section 20-1.5. Fees is amended and supplemented as follows:

20-1.5 Permit Fees. the following schedule of fees is hereby fixed, determined and established as being the fees to be paid to the Township of Lakewood to be drawn upon by the Municipal Engineer in conjunction with the issuance and servicing of such permits, and supervision and inspection of such openings to proper restoration.

- a. Openings not greater than fifty (50) feet in length, one hundred (\$100.00) dollars.
- b. Openings up to one hundred (100) feet in length, one hundred twenty-five (\$125.00) dollars.
- c. Openings up to two hundred (200) feet in length, one hundred fifty (\$150.00) dollars.
- d. Openings up to four hundred (400) feet in length, two hundred (\$200) dollars.
- e. Openings up to four hundred (400) feet, three hundred (\$300) DOLLARS, plus fifty (\$0.50) cents per lineal foot in excess of four hundred (400) feet.
- f. **An administrative fee of twenty-five (\$25.00) dollars shall be added to the permit fee amount referenced above.**

SECTION 2. All ordinances or parts of ordinances inconsistent herewith are hereby repealed to the extent of such inconsistency.

SECTION 3. If any section, subsection, paragraph, sentence or any part of this Ordinance is adjudged unconstitutional or invalid, such judgment shall not affect, impair or invalidate the remainder of this Ordinance not directly involved in the controversy in which such judgment shall have been rendered.

SECTION 4. This Ordinance shall take effect immediately upon final passage and publication as required by law.

Township of Lakewood

OFFICE OF THE MUNICIPAL ENGINEER AND PLANNING BOARD

231 THIRD STREET

LAKWOOD, NEW JERSEY 08701

(732) 364-2500; FAX (732) 994-4563

JEFFREY W. STAIGER, P.E., P.P., C.M.E.
TOWNSHIP ENGINEER

ALLY MORRIS
PLANNING BOARD ADMINISTRATOR

Required Street Opening Permit Improvements & Fee

To: Road Opening Permit Applicant
From: Lakewood Township Engineer
Subject: Required Street Improvements in Conjunction with Building Permit Application

Date: _____

Permit # _____

SD / SP # _____
(If applicable)

Enclosures: Road Opening Permit Application, Fee Schedule and Standard Conditions

We are in receipt of the plot plan for Block _____, Lot _____. In addition to the Road Opening that may be also be required by the utility companies for service connections, a Road Opening permit **is required**. Based on our site inspection, the following improvements are required:

_____ **Concrete Curb & Pavement Restoration** 6" x 8" x 18" [1-1/2" FABC (Mix I-5), 3" Stabilized Base (Mix I-2), and 6" Dense Graded (I-5 Gradation) Broken Stone Aggregate].

_____ **Public Curb Ramp** (Handicap ramp) at curb corner per ADA requirements (with detectable warning surface).

_____ **Concrete Sidewalk:** 4 or 5 Feet Wide; 4" Thick (6" thick at driveway).

_____ **Driveway Apron:** Reinforced Concrete 6" Thick, 12 or 20 Feet Wide.

NOTE: All concrete is to be Class B, 4,500psi 28-day compressive strength.

The lot has _____ feet of frontage. The road opening permit fee for this location is \$_____.00.